

STONE ANGEL SAFETY DATA SHEET

Section 1. Product and Company Identification

Product Name:	STONE ANGEL
Product Use:	Concrete and porous stone hydrophobing agent
Company:	Stella Sealants Corporation
Address:	6915 15th street east, ste 201 Sarasota, FL 34243, USA
Website:	www.stellasealants.com
Email:	info@stellasealants.com
Telephone:	+1(941)357-1566
Fax:	+1(941)359-1630
24 Hour Emergency Number	(844)200-1672

Section 2. Hazards Identification

Classification:

Skin corrosion/irritation	Category 1B/C
Eye damage/irritation	Category 2A
Acute oral toxicity	Category 4

GHS Label:

Pictogram:



Signal Word: Danger

Hazard Statement:

Causes severe skin burns and eye damage
Causes serious eye irritation
Harmful if swallowed

Precautionary Statement:

Prevention

- Do not breathe dusts or mists.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Wash thoroughly after handling.
- Do not** eat, drink or smoke when using this product.
- If swallowed:** Rinse mouth. Do NOT induce vomiting.
- Call a poison center/doctor if you feel unwell.
- If on skin (or hair):** Take off immediately all contaminated clothing.
- Rinse skin with water/shower.
- Wash contaminated clothing before reuse.

STONE ANGEL SAFETY DATA SHEET

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Immediately call a poison center/doctor.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage: Stored locked up.

Disposal: Dispose of contents/container in accordance with local, regional, national, and/or international regulations.

Section 3. Hazardous Composition/Information on Ingredients

Chemical Name	CAS No.	Weight %
Silanetriol,methyl-, potassium salt	31795-24-1	<4.5
Silicone resin solution	Trade Secrete	<10
Water	7732-18-5	> 85
Potassium methylsilanetriolate	31795-24-1	<4.5

Section 4. First Aid Measures

Skin Contact:	Rinse the contaminated area thoroughly with water. Wash clothing before reuse.
Eye Contact:	Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.
Inhalation:	Remove person to fresh air. If respiratory irritation, dizziness, nausea, or unconsciousness occurs, seek immediate medical assistance. If breathing has stopped, give artificial respiration.
Ingestion:	If swallowed, call a poison control center/doctor. Rinse mouth.
Most important symptoms/effects, acute and delayed	
Skin and eyes:	Causes severe skin burns and eye damage.
Ingestion:	Harmful if swallowed.

Section 5. Firefighting Measures

Suitable Extinguishing Media:	Water, water fog
Unsuitable Extinguishing Media:	No data available.
Special fire-fighting procedures:	Self-contained breathing apparatus and protective clothing should be worn when fighting fires involving chemicals. Use water to cool fire-exposed containers.

STONE ANGEL SAFETY DATA SHEET

Section 6. Accidental Release Measures

Personal Precautions:	Avoid contact with eyes and skin. Spilled material is slippery; use care to avoid falling.
Environmental Precautions:	Prevent spills from entering storm sewers and drains or contact with soil.
Methods for cleaning up:	For small spills mop up as much as possible and flush area with water. For large spills, soak up with absorbent. Shovel into waste containers. Flush area with water.

Section 7. Handling and Storage

Avoid contact with eyes and skin. Store at temperatures between 45°F and 100°F (7°C-37°C). Store only in the original container.

Section 8. Exposure Control/Personal Protection

Eye protection and impervious gloves should be worn.
Eyewash stations and safety showers should be readily accessible.

Section 9. Physical and Chemical Properties

Appearance (physical state, color, etc.)	Clear, colorless liquid
Odor.	None
Odor threshold.	None
pH.	+/- 12
Melting point/freezing point.	No data available.
Initial boiling point and boiling range.	No data available.
Flash point.	None
Evaporation rate.	No data available.
Flammability (solid, gas).	No data available.
Upper/lower flammability or explosive limits.	No data available.
Vapor pressure.	No data available.
Vapor density.	No data available.
Relative density.	+/- 1.02
Solubility	Complete
Partition coefficient: n-octanol/water.	No data available.
Autoignition temperature.	No data available.
Decomposition temperature.	No data available.
Viscosity	< 10 cps

STONE ANGEL SAFETY DATA SHEET

Section 10. Stability and Reactivity

Chemical Stability:	Product is stable.
Conditions to Avoid:	None
Incompatibility (materials to avoid):	Avoid contact with acids.

Section 11. Toxicological Information

Likely routes of exposure are eyes & skin.

Eye contact	Causes eye damage.
Skin contact	Causes severe skin burns.
Ingestion	Harmful if swallowed.
Delayed and chronic effects from short and long term exposure:	No data available.
Carcinogens or suspected carcinogenic ingredients:	None

Section 12. Ecological Information

No data available.

Section 13. Disposal Considerations

Dispose of contents and/or container in accordance with local/regional/national/international regulations.
Product should be prevented from entering storm sewers and drains or contact with soil.

Section 14. Transport Information

DOT Classification: NA 1719, Caustic Alkali Liquids, N.O.S., 8, PG II

Section 15. Regulatory Information

TSCA:	All components are listed.
EPA SARA Title III Section 313:	This product contains no listed ingredients.
California Safe Drinking Water and Toxic Enforcement Act (Proposition 65):	This product does not contain any chemical known to the State of California to cause cancer, birth defects or any other reproductive harm.

STONE ANGEL SAFETY DATA SHEET

Section 16. Other Information

Glossary of Terms:

ACGIH - American Conference of Governmental Industrial Hygienists

DOT - Department of Transportation

hPa - Hectopascals

mPa*s - Milli Pascal-Seconds

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limit

ppm - Parts per Million

SARA - Superfund Amendments and Reauthorization Act

STEL - Short Term Exposure Limit

TSCA - Toxic Substances Control Act

TWA - Time Weighted Average

WHMIS - Canadian Workplace Hazardous Materials Identification System

Pressure: : 1 hPa * 0.75 = 1 mm Hg = 1 torr; 1 bar = 1000 hPa

Viscosity: : 1 mPa*s = 1 centipoise (cP)

Issue date: July 21, 2017

Revision: December 19, 2017